

Use this checklist to write down information you will need to supply for the Bibliographic Batchload order form (estimated time to complete the checklist: 20–30 minutes).

This checklist reproduces the content of the electronic order form as exactly as possible to help you prepare.

If you print the checklist, you may also want to keep this electronic PDF version open for access to links to get supporting information.

After you complete the checklist, log on to the Online Service Center to order (see logon details on this page).

**Please note:** Many order form questions dynamically open more questions, depending on your selections and entries. Below is a simple list of the topmost questions. Click a link to see details for a specific question.

- Is your project for a single institution or a group (multiple institutions)?
- What OCLC product(s) will be supported by your project?
- Identify the format of the data you are submitting for this project?
- What is the location and format of your unique local system bibliographic number?
- What is the location of the OCLC control number in your records?
- Do you want to qualify the OCLC control number for record matching?
- · Select a Batchload project type.

- Do you want to display local bibliographic data to your users yia WorldCat Local or Web-scale [now called WorldShare] Management Services?
- Should we add your records when they do not match existing WorldCat records?
- What output do you want to receive when your project is completed?
- How many records do you estimate will be in the project you submit?
- How will you submit your records and who will submit them?
- Do you need a PSWeb-only authorization and password?
- Do you have more information to add about your project?

## Information for logging on to the Online Service Center for ordering

Use the OCLC Online Service Center (OSC) to order a batchload project for bibliographic records.
<ul> <li>Do you have an OSC institution account? If so, <u>log on</u> using your:</li> </ul>
Online Service Center user ID:
Online Service Center password:
Caution: If you order for a group (multiple institutions), you must log on using an OCLC group project symbol. If you do not have an OCLC group project symbol, contact OCLC Customer Support at <a href="mailto:support@oclc.org">support@oclc.org</a> .

- If you do not have an OSC account, it is easy to create an account from the OSC Welcome page.
   Notes:
  - It may take several business days to receive your new OSC account. Until then, you can log on as a
    guest only.
  - If you log on but cannot access the order form, contact OCLC at: <u>support@oclc.org</u>.
  - Terms and Conditions: Accepting OCLC Batchload Terms and Conditions is required when you
    place an order, Click <u>here</u> to preview the Terms and Conditions.

ls your pr	oject for a single institution or a group (multiple libraries)?
×	Single institution
	Group
ш	If Group:
	What is the OCLC institution symbol for billing?
	What is the OCLC group project symbol?  Caution: You must be logged on using a OCLC group project symbol to order for the group. If you do not have an OCLC group symbol, contact <a href="mailto:support@ocic.org">support@ocic.org</a> .
	Where in the group records are the internal identifiers specified for the shared local system?
	Field Subfield
	If Group: Enter all OCLC institution symbols of libraries in your group (up to 500 symbols separated by commas, spaces, or semicolons):
	Enter up to 500 symbols separated by commas, spaces, or semicolons
	Notes:
	<ul> <li>To look up OCLC institution symbols, open the <u>Find an OCLC library</u> service.</li> </ul>
	<ul> <li>After you order for a group, you will work with an OCLC database specialist to set up a tab that correlates each library identifier with the library's OCLC institution symbol for setting holdings in WorldCat. See more details about data you will need to provide.</li> </ul>

Which O	CLC product(s) will be supported by your project?
	Web-scale [now called WorldShare] Management Services WorldCat Collection Analysis
. 🗆	WorldCat Local  Note: You can request information in the order form on branch level scoping for implementing WorldCat Local, or you can get that information here. Click this link: Local Holdings Record Batchload for Branch Level Scoping.
×	An OCLC Group Catalog What is the Group Catalog name? Texas Group Catalog
	Project not for specific OCLC product(s)  Notes:
	<ul> <li>If you are implementing <u>WorldCat Navigator</u>, select WorldCat Local or Group Catalog, depending on your contract.</li> <li>If you are batchloading for <u>WorldCat.org</u>, select "Project not for specific OCLC product(s)".</li> </ul>

What is the format of the data you are submitting for this project?
Note: You can select MARC or Non-MARC. If you have both data types, you will need to order separate projects.
MARC
MARC 21
UNIMARC
INTERMARC
☐ IBERMARC
Local standard (non-MARC-21
Other Character encoding
MARC-8
UTF-8 Unicode
Non-MARC Non-MARC
Format
☐ Spreadsheet
Delimited text
☐ Labeled data ☐ Other
Type of data
Bibliographic
☐ List of numeric search keys
(Note that the numeric search keys option is unavailable for group batchload orders.)
What is the location and format of your unique local system bibliographic number?
Note: You will not see this question if you are sending non-MARC data for your project.
Location in MARC records  © 001
<b>⊠</b> 001 □ 907 \$a
035 \$a Other: Field Subfield
Example . b 000 + 3 x 0 8 Enter an example of your system's local bibliographic number.
Note: Starting February 16, 2011, your unique local system bibliographic numbers will be stored at OCLC for use in
subsequent batchload matching. See more about the importance of these numbers.
What is the location of the OCLC control number in your records?
What is the location of the OCEC control number in your records:
Note: You will not see this question if you are sending non-MARC data for your project.
Location in MARC records (select as many as apply)
None (records do not contain OCLC numbers) —
001, OCLC number with ocn/ocm prefix
001, OCLC number only, no prefix
035 \$a (OCoLC)
Other: Field Subfield See more about the OCLC control number.
and the state of t

Do you want to	qualify the OCLC contro	ol number for record matching?
question if you answered " Select any combin Derive Date	None" (no OCLC control nur lation, all, or none of the follo ed title (245, 246, 247) (008/07-10 ial type (Leader/06)	non-MARC data for your project; you will not see the mbers in your records) to the question directly above.  Language of cataloging (040 \$b)  Use all qualifiers  Do not use any qualifiers  Selecting OCLC Number Qualifiers for Bibliographic
•	Batchload quick reference.  If the data you are sending for available selection is "Do not	or this project is a simple list of numeric search keys, the only user any qualifiers."

Select a Batchload proj	ect type.
One time	be of project will it be?  [See Notes]
	Cancels
	Cancels holdings for all records you send.
	Reclamation
	See Batchload Solutions for Bibliographic Records for more information.
	Set for all
	Sets holdings for all records you send.  Set or cancel based on value of Rec Stat
	Sets or cancels holdings based on the value of record status (Leader/05).
X	Retrospective
, ,	See Batchload Solutions for Bibliographic Records for more information.
	🔀 Set for all
	Sets holdings for all records you send.
	<ul> <li>Set or cancel based on value of Rec Stat</li> <li>Sets or cancels holdings based on the value of record status (Leader/05).</li> </ul>
☐ Ongoing	Sets of Carice's flordings based on the value of record states (Estado, 100).
	pe of project will it be?
	Cancels only —Cancels holdings for all records you send.
	Sets only —Sets holdings for all records you send.
	Set or cancel based on —Sets or cancels holdings based on the value value of Rec Stat —of record status (Leader/05).
Note: "Set or o	value of Rec Stat of record status (Leader/05). ancel based on Rec Stat" is unavailable if you are sending non-MARC data.
	mines whether to set or cancel holdings in WorldCat records
	ed based on Rec Stat (that is, <u>record status</u> , the value in Leader/05).
<ul> <li>When record status (Re</li> </ul>	c Stat) contains the value d, your institution's holding symbol is canceled (deleted) on
matching WorldCat reco	ords. ur holding symbol is set (added) on matching WorldCat records.
<ul> <li>Here is how it works:</li> </ul>	an Holding Symbol is Set (added) of matching Front Out 1000140.
<ul> <li>Cancel only: Batch pre</li> </ul>	processing forces the value d in record status for all records submitted, regardless of
what value is in your re	cord, so that your holdings will be canceled (deteted).  Statch preprocessing changes any occurrence of <b>d</b> in record status to <b>c</b> so that your
holdings will be set for a	all matching records.
<ul> <li>Set or cancel based o records so that your hol</li> </ul>	n value of Rec Stat: Batch preprocessing accepts the record status value in your ldings will be canceled for matched records with record status d, and holdings will be swith any other value in record status.
Caution: When your library's hold deleted, including local holdings re	Ings are deleted from OCLC master bibliographic records, any attached local records are also accords (LHRs) and local bibliographic data records.

# Page 3: What is the location and format of your local system bibliographic number?

What is the location and format	of your unique local system bibliographic number?
Hole: You will not one this question if you are	r sending non-MARC data for your prejent
Location in MARC records	
	907 \$a
□ 035 \$a □	Other: Fleid Sublinio
Location in non-AtARC records	
Column in spreadsheet e	or tab-delimited text
🔲 Label in labeled data	
Other:	<b></b>
Example	Enter an example of your system's local totalographic runnion.

This local system number is used to create the Cross Reference Report from OCLC. It also is an essential match point for reloading records back to your library's local system.

The Local system number may be named differently depending on your library's local system. Here are a few examples:

- Title Control Key
- Bibload Report #
- Import Source
- Bib #

An example of the location and format of the number is: field 001 .b00043328

#### Page 4:

Select a batchload project type.

Refer to the <u>Batchload Solutions for Bibliographic Records</u> to determine the Project type:

Reclamation: if your library does have holdings in WorldCat

or Retrospective: if your library does not have holdings in WorldCat

http://www.oclc.org/content/dam/support/batchload/documentation/using/bibbatchsolutions.pdf

Do you want to display local bibliographic data to your users via WorldCat Local or Web-scale [now called WorldShare] Management Services?
Web-scale [now called WorldShare] Management Services?  Note: You will see this question:  Only if you selected WorldCat Local or Web-scale [now called WorldShare] Management Services as the OCLC product(s) supported by your project  But not if your project is for canceling holdings only.  And not if your project is based on a list of numeric search keys  If needed, OCLC can store local bibliographic data that cannot be extracted from bibliographic or local holdings records in WorldCat for display to users of your OCLC discovery interface.  To create and maintain local bibliographic data records via batchload, you must  Provide a unique, persistent local system bibliographic number in each record you send.  Have specified the local system bibliographic number location in the previous question.  Local bibliographic data you select is stored as an attachment to the associated WorldCat bibliographic record.
<ul> <li>The data is not added to WorldCat bibliographic or local holdings records and cannot be viewed or edited in Connexion.</li> <li>The data you select here is unrelated and separate from local fields transferred to your OCLC batch archive record.</li> </ul>
Display local bibliographic data to your users?  ☐ Yes ☐ No  If Yes: Select as many data fields as apply
Uniform title (240)  Non-specialized notes (500, 59X)  Mon-specialized notes (500, 59X)  Moded class number (695)  Local subject added entry — Personal name (697)  Local subject added entry — Meeting name (697)  Local subject added entry — Uniform title (698)  Mon-specialized notes (500, 59X)  Moded entry — Personal name (696)  Moded entry — Uniform title (699)  Moded entry — Personal name (700, 790, 796)  Moded entry — Corporate name (710, 791, 797)  Moded entry — Meeting name (711, 792, 798)  Moded entry — Meeting name (711, 792, 798)  Moded entry — Uniform title (730, 793, 799)  Moded entry — Uniform title (730, 793, 799)
If Yes:  Does your system store the data you want to display in the fields listed above?
Yes, my system stores this data in exactly those fields  No, my system stores one or more of the data items I have selected in some other field
See more information about displaying local bibliographic data.
Should we add your records when they do not match existing WorldCat records?
Note: You will not see this question if you are sending a list of numeric search keys for your project.
Yes  No  For "Yes," if your records are unmatched and they meet standards of quality and completeness, they will be added to WorldCat as original cataloging.  Please see the cautionary note on the next page about vendor-supplied records.

Caution for adding unmatched vendor-supplied records to WorldCat: You can include vendor-supplied records in a batchload project with other records to set your library's holdings. However, if you are adding unmatched records to WorldCat, your library or OCLC must have permission from the vendor to redistribute the records that the vendor supplied.

Please check your vendor contracts. You can also check OCLC vendor licensing permissions. Go to <a href="http://www.oclc.org/us/en/worldcatlocal/support/vendor.htm">http://www.oclc.org/us/en/worldcatlocal/support/vendor.htm</a> to open the "Vendor record licensing" Web page. Click **Vendor record sets accessible**, and then click **Download the Databases and Collections list**. In the File Download window, click **Open**. In the Excel spreadsheet that opens, click the second tab in the lower left to see the list of OCLC vendor permissions.

If you have records from vendors who have not granted permission to redistribute records, you can first ask for permission. If permission is not granted, order a separate batchload project to set your holdings only for those records. For the order, select **No** in the question above about adding records.

Wh	at output do you want to receive when your project is completed?
	Report only
	Ordering reports is available at no charge.
	<ul> <li>For a project based on MARC records or non-MARC bibliographic data, you get a Cross Reference (XREF) Report showing the OCLC numbers across from your system control number. XREF reports are available on the OCLC Product Services Web.</li> <li>For a project based on a simple list of numeric search keys, you get a Batchload File Processing Report.</li> </ul>
Ø	Report and your records
<i>,</i> ,	Ordering your records returned with OCLC control numbers is available at no charge.
	This selection is available only if you are sending MARC data.
	<ul> <li>For a project based on MARC records, you get an XREF report. You also get your records with OCLC numbers added in the location and format you select below.</li> <li>Please note: If you choose below to merge the OCLC control number into the 001 field, any existing 001 in your records will be replaced. If you choose another field, the new field will be added without replacing</li> </ul>
	existing data. However, the new field will not be added if it is an exact duplicate of an existing field.  OCLC control number
	Merge location: Select a location:
	<b>□</b> 001
	₩ 035 \$a
	Other: Field Subfield
	Format: Select a format:
	<b>⊠</b> (OCoLC)1234
	(OCoLC)ocm00001234
	□ ocm00001234
	□ <sub>00001234</sub>
	☐ 1234
	Report and OCLC-MARC records  (Caution: Ordering OCLC-MARC records incurs a charge. Please ask for details from OCLC Support at <a href="mailto:support@oclc.org">support@oclc.org</a> before ordering these records.)
	For a project based on MARC records or non-MARC bibliographic data, you get an XREF report and
	OCLC-MARC records.  • For a project based on a list of numeric search keys, you get a Batchload File Processing Summary  Report and OCLC MARC records
	<ul> <li>Report and OCLC-MARC records.</li> <li>If you make this selection, you can request that your library's local data be transferred to the MARC records. See <u>more details</u> about this option.</li> </ul>
Noti	V ————————————————————————————————————
	Enter the e-mail address of the person to notify about reports and records. To enter multiple addresses, separate with commas. Limit to 250 characters total.

How many records of	do you estimate will be in the project you submit?
Note: If you are ordering a	n ongoing project, please estimate the number of records in your initial record load.
How will you submit	your records and who will submit them?
Caution: Send your record Batch Services.	ds after you receive your project ID number—a "P" number in the format "Pxxxxxxx"—from
FTP to your library' See instructions to See instructions to Third-party continuous formula in the See instructions to See instructions to See instructions to the OCLO	for transferring records via FTP.  y tact name tact email address for transferring records via FTP. C Product Services Web (PSWeb) for uploading records to PSWeb. PSWeb is at: http://psw.oclc.org.  nd physical media methods are available if you are sending non-MARC data: ent
Note: If you are s	local system?  In by Innovative Interfaces?  In sending MARC records for your project AND your local system is by Innovative opecial guidelines for transferring records using an FTP-type feature of Innovative.
Select the check You can use you password), or res  If you request an author Preferred password Guidelines for p Use upperca	

Do you have mor	e information to add about your project?
[Enter free text]	(Maximum = 1000 characters. The order form displays the number of characters dynamically as you enter them.)

#### Support

If you have questions, please contact OCLC Customer Support at <a href="mailto:support@oclc.org">support@oclc.org</a>.